

RENTAL INDUSTRY HOSE & FITTINGS

2011



Green Line[®]



YELLOW AIR HOSE

Hose size	End fitting	Length	Part Number
G223 300 psi smooth cover assemblies			
3/4"	G25 Universal	50 ft	G223-075U50



G232G 300 psi wrapped cover assemblies			
3/4"	G25 Universal	50	G232G-075U50
1	G25 Universal	50	G232G-100U50



G242G 400 psi wrapped cover assemblies			
3/4"	G25 Universal	50	G242G-075U50
1	G25 Universal	50	G242G-100U50
2	G29C Ground Joint	50	G242G-200FF50



G232 300 psi premium Green Line assemblies			
3/4"	G25 Universal	50	G232-075U50
1	G25 Universal	50	G232-100U50
2	G29C Ground Joint	50	G232-200FF50



G242 400 psi Green Line Rock Drill assemblies			
3/4"	G25 Universal	50	G242-075U50
1	G25 Universal	50	G242-100U50
2	G29C Ground Joint	50	G242-200FF50



These are our most popular yellow air hoses. Other premium hoses with increased oil resistance or wire reinforcement are also available from stock.

Green Line[®]

Air Hose assemblies that are commonly used in the construction and rental industries are provided here for easy ordering. Smaller sizes have G25 two-lug universal fittings attached with band clamps. Larger hoses are supplied with G29 ground joint stems with wing nuts attached with bolt clamps (G29 spud adapters must be ordered separately). Other assembly configurations and lengths are available upon request.

Typical assembly with Universal fittings:



Typical assembly with Ground Joint fittings:



UNIVERSAL FITTINGS

Green Line[®]


Universal fittings are designed to offer a quick connection on air hoses, typically for jackhammer and similar applications. To ensure that couplings are fully connected, and to prevent accidental disconnection, safety clips should always be used. Universal couplings are rated for 110 psi maximum and are not designed for steam service.



G27... UNIVERSAL FEMALE PIPE ADAPTER



G28... STANDARD GASKET



G25... UNIVERSAL HOSE END

G26... UNIVERSAL MALE PIPE ADAPTER



G28Y... THREE-WAY CONNECTOR


HOSE STEMS

Ground joint fittings are used with large diameter air compressor hoses and are attached with inter-locking bolt clamps for extra safety. Double spuds join hose lengths, and female or male spuds adapt the coarse ground joint thread to NPT pipe.

G23S... STEEL MALE NPT HOSE BARB...



G29M... GROUND JOINT MALE SPUD...




G29DS... GROUND JOINT DOUBLE SPUD...



G29C... BOLT CLAMPS



G29S... GROUND JOINT FEMALE STEM




G29N... GROUND JOINT WING NUT

G29F... GROUND JOINT FEMALE SPUD



CAUTION: Hoses can whip if they become accidentally uncoupled or tear away from the fitting. G29R safety cables act to control whipping in the event of a failure. To function properly, restraint cables must be installed in a fully extended position with no slack.



G29R... HOSE RESTRAINT CABLES

G29R-125 1/8" Cable for 1/2" to 1-1/4" Hose
 G29R-300 1/4" Cable for 1-1/2" to 3" Hose

WATER SUCTION HOSE

Green Line®

20 FT SUCTION HOSE ASSEMBLIES

Suction hoses come complete with a female cam-lock, galvanized combination nipple attached with band clamps. They can be ordered with or without a strainer.

20 FT SPECIAL SUCTION HOSE ASSEMBLIES

Some customers prefer suction hoses with C & E cam-locks. The strainer assembly has a pipe nipple and part adapter for easy connection.



Hose I.D.	Part Number without strainer	Part Number with strainer
-----------	------------------------------	---------------------------

G941K... PVC Suction

1½"	G941K-150CM20	G941K-150CS20
2	G941K-200CM20	G941K-200CS20
3	G941K-300CM20	G941K-300CS20
4	G941K-400CM20	G941K-400CS20
6	G941K-600CM20	G941K-600CS20

G941BW... Blue Water Suction

1½"	G941BW-150CM20	G941BW-150CS20
2	G941BW-200CM20	G941BW-200CS20
3	G941BW-300CM20	G941BW-300CS20
4	G941BW-400CM20	G941BW-400CS20
6	G941BW-600CM20	G941BW-600CS20

G1341... EPDM/Polyethylene Suction

1½"	G1341-150CM20	G1341-150CS20
2	G1341-200CM20	G1341-200CS20
3	G1341-300CM20	G1341-300CS20
4	G1341-400CM20	G1341-400CS20
6	G1341-600CM20	G1341-600CS20

G341... Heavy Duty Rubber Suction

1½"	G341-150CM20	G341-150CS20
2	G341-200CM20	G341-200CS20
3	G341-300CM20	G341-300CS20
4	G341-400CM20	G341-400CS20
6	G341-600CM20	G341-600CS20

G341CEDS... Heavy Duty Rubber Suction

1½"	G341-150CE20	G341-150CEDS20
2	G341-200CE20	G341-200CEDS20
3	G341-300CE20	G341-300CEDS20
4	G341-400CE20	G341-400CEDS20
6	G341-600CE20	G341-600CEDS20



G34 strainers are made from zinc plated steel. The open area of 50% allows removal of damaging debris while still maintaining adequate flow.



G34L strainers are long and slim for use in narrow or confined openings. The design is generally no wider than the hose itself. G34L are popular when pumping from ice covered water supplies.



G34P polyethylene basket strainers



G34FV cast iron foot valve & strainer

Green Line®

50 FT DISCHARGE HOSE ASSEMBLIES

Discharge hoses are supplied with female and male aluminum cam-locks attached with band clamps. Discharge hoses are also available with forestry and fire hose type couplings.



Hose I.D	Length	Part Number
----------	--------	-------------

G971 Blue Lay-flat Discharge

1 1/2"	50 ft	G971-150CE50
2	50	G971-200CE50
3	50	G971-300CE50
4	50	G971-400CE50
6	50	G971-600CE50

G972 Red Lay-flat Discharge

1 1/2"	50 ft	G972-150CE50
2	50	G972-200CE50
3	50	G972-300CE50
4	50	G972-400CE50
6	50	G972-600CE50

G372 Rubber Discharge (75 psi)

1 1/2"	50 ft	G372-150CE50
2	50	G372-200CE50
3	50	G372-300CE50
4	50	G372-400CE50
6	50	G372-600CE50

G373 High Pressure Rubber Discharge (150 psi)

1 1/2"	50 ft	G373-150CE50
2	50	G373-200CE50
3	50	G373-300CE50
4	50	G373-400CE50
6	50	G373-600CE50

G1372 Rubber Covered Mill Hose Assemblies

1 1/2"	50 ft	G1372-150CE50
2	50	G1372-200CE50
3	50	G1372-300CE50
4	50	G1372-400CE50
6	50	G1372-600CE50

G1373 Black Dragon Discharge (min.150 psi)

1 1/2"	50 ft	G1373-150CE50
2	50	G1373-200CE50
3	50	G1373-300CE50
4	50	G1373-400CE50
6	50	G1373-600CE50

FIRE & WASHDOWN HOSE

Hose I.D	Length	Part Number
----------	--------	-------------

G1372 Rubber Covered Mill Hose Assemblies with forestry fittings

1 1/2"	50 ft	G1372-150F50
	100	G1372-150F100

G1372 Rubber Covered Mill Hose Assemblies with brass NPSH fittings

1 1/2"	50 ft	G1372-150B50
	100	G1372-150B100



Hose I.D	Length	Part Number
----------	--------	-------------

G1373 Black Dragon with Brass Rocker Lug Fittings

1 1/2"	50 ft	G1373-150B50
	100	G1373-150B100

G1373 Black Dragon with Forestry Instantaneous Fittings

1 1/2"	50 ft	G1373-150F50
	100	G1373-150F100



Hose Size	Length	Part Number
-----------	--------	-------------

G1921 Single Jacket With Forestry Ends	50 ft	G1921-150F50
--	-------	--------------

G1921 Single Jacket With Brass Rocker Lug	50	G1921-150B50
---	----	--------------

G1942 Double Jacket With Brass Rocker Lug Fittings	50 ft	G1942-150B50
--	-------	--------------



CAUTION: Single jacket fire hoses have no external cover to protect the reinforcement, and so will fail prematurely when dragged repeatedly. For washdown service, a better choice is double jacket hose, so the second jacket serves as a guard to protect the inner layer. Where hose is used regularly, G1372 and G1373 provide the best wear. Black Dragon with its unique fused construction is the proven market leader for service life.

www.greenlinehose.com

ALUMINUM CAM-LOCKS

Green Line[®]

Our aluminum cam-locks are manufactured from aluminum alloy 384 (JIS grade ADS12) and feature type 316 stainless pins, forged brass handles, and plated steel finger rings. G65 couplings fit MIL SPEC 27487 in sizes up to 6" and will interchange with other couplings that meet this specification. No government standard has been established for 1/2" and 8" so different manufacturers' couplings may not interchange in this size. Female couplers are supplied with locking clips.

Note: Cam-locks should not be used with compressed air or other compressed gases.

Aluminum working pressures:

1/2" to 2"	250 psi
2 1/2" to 4"	150
5" & 6"	75
8"	50

Standard gaskets are rated to 105°C (221°F)

G65C...PART C
HOSE SHANK
COUPLER



G65A...PART A
FEMALE NPT
ADAPTER



G65B...PART B MALE
NPT COUPLER



G65E...PART E
HOSE SHANK
ADAPTER



G65D... PART D
FEMALE NPT COUPLER



G65F... PART F
MALE NPT ADAPTER



G65DP... PART DP
DUST PLUG



G97...
RED PLASTIC FOG NOZZLE



G65DC... PART DC
DUST CAP

5/8" x 50 ft WATER HOSE

G311-Industrial Water is the traditional contractor rubber hose. It is coupled with solid brass fittings, and is rated to 150 psi to withstand unregulated city water main pressures.



G311-063GHT50

Green Line®

G1331-Blue Aqua is constructed using a special thermoplastic polymer that creates a robust, kink-resistant product that coils well in cold weather and will look attractive after years of the toughest service. Don't confuse Blue Aqua with cheaper plastic hoses that become very stiff in colder weather.

Note: Thermoplastic hoses soften when exposed to heat. For hot water applications, use rubber hose.



G1331-063GHT50

3/8" x 50 ft - 4000psi - PRESSURE WASH HOSE



BLACK
PRESSURE WASH
118-06MLM50

With CST quick couplings attached, specify
119B-06CST50
118-06CST50



BLUE STORM
119B-06MLM50

PRESSURE WASHER & WATER HOSE ACCESSORIES



G97-GHT
GREEN PLASTIC FOG NOZZLE
Garden hose thread


572TFRL
PISTOL GRIP NOZZLES



528
BRASS ADJUSTABLE NOZZLE
Full size twist nozzle with rubber grip



G07Y77BV
Y' COUPLINGS
Forged brass with valves



PW-GA-36
4000 psi 10 GPM
gun assembly



64008
METRIC PRESSURE
WASHER ADAPTERS



PW-5
PRESSURE WASH SPRAY TIPS

Red 0° angle nozzles for blasting
Yellow 15° angle nozzles for cleaning hard surfaces
Green 25° angle nozzles for flushing and wet sweeping
White 40° angle nozzles for washing soft surfaces



PW-SC
Mole nozzles with 1
forward & 3 backjets
for sewer cleaning

A WIDE VARIETY OF GARDEN HOSE & PRESSURE WASH ACCESSORIES ARE AVAILABLE... SEE OUR 2009 HOSE & FITTINGS CATALOGS

Green Line®

British Columbia:

Head Office & Main Warehouse:

Annacis Island... 1477 Derwent Way, Delta, BC, V3M 6N3 Office: 604.525.6800
Sales: 604.525.6700 • Toll Free: 1.800.665.5444 Fax: 604.525.4224
email: sales@greenlinehose.com

Vancouver... 1521 Venables Street, Vancouver, BC, V5L 2G8
Sales: 604.253.7561 Fax: 604.253.7566

Alberta:

Edmonton... 7003 Roper Road NW, Edmonton, AB, T6B 3K3
Sales: 780.465.5216 • Toll Free: 1.800.267.2572 Fax: 780.465.5813

Calgary... 4830 - 61 Avenue SE, Calgary, AB, T2C 4T1
Sales: 403.243.1570 • Toll Free: 1.866.343.1570 Fax: 403.243.4917

623 Manitou Road SE, Calgary, AB, T2G 4C2
Sales: 403.215.7750 Fax: 403.287.7979

Leduc... Bay 2, 7121 Sparrow Drive, Leduc, AB, T9E 7L1
Sales: 780.980.2131 Fax: 780.980.2160

Saskatchewan:

Saskatoon... 2520 Millar Avenue, Saskatoon, SK, S7K 4K2
Sales: 306.653.5001 Toll Free: 1.888.653.5001 Fax: 306.653.5008

Manitoba:

Winnipeg... Unit 10, 1650 Notre Dame Avenue, R3H 1H6
Sales: 204.694.0332 • Toll Free: 1.866.834.9718 Fax: 204.694.0309

Quebec:

St. Laurent... 9395 Trans Canadienne, St. Laurent, QC, H4S 1V3
Sales: 204.694.0332 • Toll Free: 1.866.834.9718 Fax: 514.333.0857

www.greenlinehose.com

Distributed By:

Products listed in this catalog are in stock... ready for shipping