

# NYLON FITTINGS

The white nylon fittings shown here are made with FDA approved type 6/6 nylon. They are rated to a maximum working pressure of 75 psi and will withstand temperatures to 60°C (140°F).

G20N



G20N90



G21N



| Part Number                      | Hose Size | Hose Size | PRICE EACH |         | Pkg Qty |
|----------------------------------|-----------|-----------|------------|---------|---------|
|                                  |           |           | Loose      | Std Pkg |         |
| <b>G20N... NYLON HOSE MENDER</b> |           |           |            |         |         |
| G20N-013                         | 1/8"      |           | \$ 0.56    | \$ 0.45 | 10      |
| G20N-019                         | 3/16"     |           | 0.63       | 0.50    | 10      |
| G20N-025                         | 1/4"      |           | 0.56       | 0.45    | 10      |
| G20N-031                         | 5/16"     |           | 0.60       | 0.50    | 10      |
| G20N-038                         | 3/8"      |           | 0.80       | 0.65    | 10      |
| G20N-038-025                     | 3/8"      | 1/4"      | 0.75       | 0.60    | 10      |
| G20N-050                         | 1/2"      |           | 0.69       | 0.55    | 10      |
| G20N-050-025                     | 1/2"      | 1/4"      | 0.81       | 0.65    | 10      |
| G20N-050-038                     | 1/2"      | 3/8"      | 0.75       | 0.60    | 10      |
| G20N-063                         | 5/8"      |           | 0.75       | 0.60    | 10      |
| G20N-063-038                     | 5/8"      | 3/8"      | 0.88       | 0.70    | 10      |
| G20N-063-050                     | 5/8"      | 1/2"      | 1.38       | 1.10    | 10      |
| G20N-075                         | 3/4"      |           | 1.00       | 0.80    | 10      |
| G20N-100                         | 1"        |           | 1.25       | 1.00    | 10      |
| G20N-125                         | 1 1/4"    |           | 2.40       | 1.90    | 10      |
| G20N-150                         | 1 1/2"    |           | 3.30       | 2.60    | 10      |
| G20N-200                         | 2"        |           | 9.00       | 7.20    | 10      |

|  |        |      |         |         |    |
|--|--------|------|---------|---------|----|
| <b>G20N90... NYLON 90° HOSE MENDER</b> |        |      |         |         |    |
| G20N90-025                             | 1/4"   |      | \$ 1.25 | \$ 1.00 | 10 |
| G20N90-038                             | 3/8"   |      | 1.06    | 0.85    | 10 |
| G20N90-050                             | 1/2"   |      | 1.19    | 0.95    | 10 |
| G20N90-050-025                         | 1/2"   | 1/4" | 1.50    | 1.20    | 10 |
| G20N90-050-038                         | 1/2"   | 3/8" | 1.50    | 1.20    | 10 |
| G20N90-063                             | 5/8"   |      | 1.40    | 1.10    | 10 |
| G20N90-075                             | 3/4"   |      | 1.40    | 1.10    | 10 |
| G20N90-100                             | 1"     |      | 2.80    | 2.20    | 10 |
| G20N90-125                             | 1 1/4" |      | 6.00    | 4.80    | 10 |
| G20N90-150                             | 1 1/2" |      | 6.40    | 5.10    | 10 |
| G20N90-200                             | 2"     |      | 12.80   | 10.20   | 10 |

| Part Number                             | Pipe Size | Hose Size | PRICE EACH |         | Pkg Qty |
|---|-----------|-----------|------------|---------|---------|
|   |           |           | Loose      | Std Pkg |         |
| <b>G21N... NYLON MALE NPT HOSE BARB</b> |           |           |            |         |         |
| G21N-013-019                            | 1/8"      | 3/16"     | \$ 0.80    | \$ 0.60 | 10      |
| G21N-013-025                            | 1/8"      | 1/4"      | 0.65       | 0.50    | 10      |
| G21N-013-038                            | 1/8"      | 3/8"      | 0.60       | 0.48    | 10      |
| G21N-025-025                            | 1/4"      | 1/4"      | 0.60       | 0.48    | 10      |
| G21N-025-031                            | 1/4"      | 5/16"     | 0.65       | 0.50    | 10      |
| G21N-025-038                            | 1/4"      | 3/8"      | 0.65       | 0.50    | 10      |
| G21N-025-050                            | 1/4"      | 1/2"      | 0.65       | 0.50    | 10      |
| G21N-038-025                            | 3/8"      | 1/4"      | 0.65       | 0.50    | 10      |
| G21N-038-031                            | 3/8"      | 5/16"     | 0.95       | 0.75    | 10      |
| G21N-038-038                            | 3/8"      | 3/8"      | 0.75       | 0.55    | 10      |
| G21N-038-050                            | 3/8"      | 1/2"      | 0.65       | 0.50    | 10      |
| G21N-038-063                            | 3/8"      | 5/8"      | 0.65       | 0.50    | 10      |
| G21N-050-025                            | 1/2"      | 1/4"      | 0.70       | 0.55    | 10      |
| G21N-050-038                            | 1/2"      | 3/8"      | 0.70       | 0.55    | 10      |
| G21N-050-050                            | 1/2"      | 1/2"      | 0.75       | 0.60    | 10      |
| G21N-050-063                            | 1/2"      | 5/8"      | 0.75       | 0.60    | 10      |
| G21N-050-075                            | 1/2"      | 3/4"      | 0.80       | 0.65    | 10      |
| G21N-075-038                            | 3/4"      | 3/8"      | 0.80       | 0.65    | 10      |
| G21N-075-050                            | 3/4"      | 1/2"      | 0.90       | 0.70    | 10      |
| G21N-075-063                            | 3/4"      | 5/8"      | 1.06       | 0.85    | 10      |
| G21N-075-075                            | 3/4"      | 3/4"      | 0.90       | 0.70    | 10      |
| G21N-075-100                            | 3/4"      | 1"        | 1.20       | 0.95    | 10      |
| G21N-100-050                            | 1"        | 1/2"      | 1.60       | 1.30    | 10      |
| G21N-100-075                            | 1"        | 3/4"      | 1.25       | 1.00    | 10      |
| G21N-100-100                            | 1"        | 1"        | 1.40       | 1.10    | 10      |
| G21N-100-125                            | 1"        | 1 1/4"    | 3.50       | 2.80    | 10      |
| G21N-125-100                            | 1 1/4"    | 1"        | 3.40       | 2.70    | 10      |
| G21N-125-125                            | 1 1/4"    | 1 1/4"    | 2.50       | 2.00    | 10      |
| G21N-125-150                            | 1 1/4"    | 1 1/2"    | 2.60       | 2.10    | 10      |
| G21N-150-125                            | 1 1/2"    | 1 1/4"    | 2.80       | 2.20    | 10      |
| G21N-150-150                            | 1 1/2"    | 1 1/2"    | 2.80       | 2.20    | 10      |
| G21N-200-150                            | 2"        | 1 1/2"    | 8.60       | 6.90    | 10      |
| G21N-200-200                            | 2"        | 2"        | 4.30       | 3.40    | 10      |

Nylon

# NYLON FITTINGS

| Part Number | Pipe Size | Hose Size | PRICE EACH |         | Pkg Qty |
|-------------|-----------|-----------|------------|---------|---------|
|             |           |           | Loose      | Std Pkg |         |

## G21N90... NYLON 90° MALE NPT HOSE BARB

|                |        |        |         |         |    |
|----------------|--------|--------|---------|---------|----|
| G21N90-013-025 | 1/8"   | 1/4"   | \$ 1.05 | \$ 0.85 | 10 |
| G21N90-013-038 | 1/8"   | 3/8"   | 1.40    | 1.10    | 10 |
| G21N90-025-025 | 1/4"   | 1/4"   | 1.05    | 0.85    | 10 |
| G21N90-025-038 | 1/4"   | 3/8"   | 1.15    | 0.90    | 10 |
| G21N90-025-050 | 1/4"   | 1/2"   | 1.05    | 0.85    | 10 |
| G21N90-038-025 | 3/8"   | 1/4"   | 1.15    | 0.90    | 10 |
| G21N90-038-038 | 3/8"   | 3/8"   | 1.20    | 0.95    | 10 |
| G21N90-038-050 | 3/8"   | 1/2"   | 1.25    | 1.00    | 10 |
| G21N90-038-063 | 3/8"   | 5/8"   | 1.20    | 0.95    | 10 |
| G21N90-050-025 | 1/2"   | 1/4"   | 1.50    | 1.20    | 10 |
| G21N90-050-038 | 1/2"   | 3/8"   | 1.20    | 0.95    | 10 |
| G21N90-050-050 | 1/2"   | 1/2"   | 1.20    | 0.95    | 10 |
| G21N90-050-063 | 1/2"   | 5/8"   | 1.40    | 1.10    | 10 |
| G21N90-050-075 | 1/2"   | 3/4"   | 1.55    | 1.25    | 10 |
| G21N90-075-038 | 3/4"   | 3/8"   | 1.60    | 1.30    | 10 |
| G21N90-075-050 | 3/4"   | 1/2"   | 1.50    | 1.20    | 10 |
| G21N90-075-063 | 3/4"   | 5/8"   | 1.40    | 1.15    | 10 |
| G21N90-075-075 | 3/4"   | 3/4"   | 1.60    | 1.30    | 10 |
| G21N90-075-100 | 3/4"   | 1"     | 1.70    | 1.35    | 10 |
| G21N90-100-075 | 1"     | 3/4"   | 1.90    | 1.50    | 10 |
| G21N90-100-100 | 1"     | 1"     | 1.90    | 1.50    | 10 |
| G21N90-125-125 | 1 1/4" | 1 1/4" | 3.10    | 2.50    | 10 |
| G21N90-150-150 | 1 1/2" | 1 1/2" | 4.80    | 3.80    | 10 |
| G21N90-200-200 | 2"     | 2"     | 5.10    | 4.10    | 10 |



G21N90



G20NT

## G20NT... NYLON HOSE TEE

|               | Run Size | Branch Size |         |         |    |
|---------------|----------|-------------|---------|---------|----|
| G20NT-013     | 1/8"     |             | \$ 1.20 | \$ 0.95 | 10 |
| G20NT-019     | 3/16"    |             | 1.40    | 1.10    | 10 |
| G20NT-025     | 1/4"     |             | 1.15    | 0.90    | 10 |
| G20NT-031     | 5/16"    |             | 1.40    | 1.10    | 10 |
| G20NT-038     | 3/8"     |             | 1.20    | 0.95    | 10 |
| G20NT-038-025 | 3/8"     | 1/4"        | 1.60    | 1.30    | 10 |
| G20NT-038-050 | 3/8"     | 1/2"        | 1.60    | 1.30    | 10 |
| G20NT-050     | 1/2"     |             | 1.25    | 1.00    | 10 |
| G20NT-050-038 | 1/2"     | 3/8"        | 1.20    | 0.95    | 10 |
| G20NT-063     | 5/8"     |             | 1.25    | 1.00    | 10 |
| G20NT-075     | 3/4"     |             | 1.45    | 1.15    | 10 |
| G20NT-100     | 1"       |             | 2.00    | 1.60    | 10 |
| G20NT-125     | 1 1/4"   |             | 3.60    | 2.90    | 10 |
| G20NT-150     | 1 1/2"   |             | 4.40    | 3.50    | 10 |
| G20NT-200     | 2"       |             | 14.80   | 11.80   | 10 |



G20NTM

## G20NTM... NYLON MALE BRANCH TEE

|                | Pipe Size | Hose Size |         |         |    |
|----------------|-----------|-----------|---------|---------|----|
| G20NTM-013-025 | 1/8"      | 1/4"      | \$ 1.50 | \$ 1.20 | 10 |
| G20NTM-025     | 1/4"      | 1/4"      | 1.50    | 1.20    | 10 |
| G20NTM-025-038 | 1/4"      | 3/8"      | 1.55    | 1.25    | 10 |
| G20NTM-038     | 3/8"      | 3/8"      | 1.55    | 1.25    | 10 |
| G20NTM-050     | 1/2"      | 1/2"      | 1.60    | 1.30    | 10 |
| G20NTM-075     | 3/4"      | 3/4"      | 2.00    | 1.60    | 10 |



G22N

## G22N... NYLON FEMALE NPT HOSE BARB

|              |      |      |         |         |    |
|--------------|------|------|---------|---------|----|
| G22N-050-050 | 1/2" | 1/2" | \$ 2.10 | \$ 1.50 | 10 |
|--------------|------|------|---------|---------|----|

# NYLON FITTINGS



| Part Number  | Hose Size                               | PRICE EACH |             | Pkg Qty |         |    |
|--|---|------------|-------------|---------|---------|----|
|  |   | Loose      | Std Pkg     |         |         |    |
| <b>G36NF... NYLON FEMALE GARDEN HOSE COUPLING</b>    |   |            |             |         |         |    |
| G36NF  | G36NF-038                               | 3/8"       | \$ 1.50     | \$ 1.20 | 10      |    |
|  | G36NF-050                               | 1/2"       | 1.50        | 1.20    | 10      |    |
|  | G36NF-063                               | 5/8"       | 1.50        | 1.20    | 10      |    |
|  | G36NF-075                               | 3/4"       | 1.50        | 1.20    | 10      |    |
| <b>G36NM... NYLON MALE GARDEN HOSE COUPLING</b>      |   |            |             |         |         |    |
| G36NM  | G36NM-038                               | 3/8"       | \$ 0.90     | \$ 0.70 | 10      |    |
|  | G36NM-050                               | 1/2"       | 0.90        | 0.70    | 10      |    |
|  | G36NM-063                               | 5/8"       | 0.95        | 0.75    | 10      |    |
|  | G36NM-075                               | 3/4"       | 0.95        | 0.75    | 10      |    |
| <b>G33N NYLON COMBINATION NIPPLE</b>                 |   |            |             |         |         |    |
| G33N   | G33N-075                                | 3/4"       | \$ 2.20     | \$ 2.00 | 5       |    |
|  | G33N-100                                | 1"         | 2.60        | 2.30    | 5       |    |
|  | G33N-125                                | 1 1/4"     | 3.70        | 3.40    | 5       |    |
|  | G33N-150                                | 1 1/2"     | 5.00        | 4.50    | 5       |    |
|  | G33N-200                                | 2"         | 7.20        | 6.50    | 5       |    |
|  | G33N-300                                | 3"         |             | 12.00   | 1       |    |
|  | G33N-400                                | 4"         |             | 16.00   | 1       |    |
| <b>G0816N NYLON BUSHING</b>                          |   |            |             |         |         |    |
| G0816N   | Male Pipe                               |            | Female Pipe |         |         |    |
|  | G0816N-050-025                          | 1/2"       | 1/4"        | \$ 1.75 | \$ 1.40 | 10 |
|  | G0816N-050-038                          | 1/2"       | 3/8"        | 1.75    | 1.40    | 10 |
|  | G0816N-075-025                          | 3/4"       | 1/4"        | 2.00    | 1.60    | 10 |
|  | G0816N-075-038                          | 3/4"       | 3/8"        | 2.00    | 1.60    | 10 |
|  | G0816N-075-050                          | 3/4"       | 1/2"        | 1.75    | 1.40    | 10 |
|  | G0816N-100-050                          | 1"         | 1/2"        | 2.65    | 2.10    | 10 |
|  | G0816N-100-075                          | 1"         | 3/4"        | 2.20    | 1.75    | 10 |
|  | G0816N-125-100                          | 1 1/4"     | 1"          | 3.25    | 2.60    | 10 |
|  | G0816N-150-100                          | 1 1/2"     | 1"          | 3.70    | 2.95    | 10 |
|  | G0816N-150-125                          | 1 1/2"     | 1 1/4"      | 3.70    | 2.95    | 10 |
|  | G0816N-200-150                          | 2"         | 1 1/2"      | 3.70    | 2.95    | 10 |
| <b>G1600N NYLON HEX HEAD PLUG</b>                    |   |            |             |         |         |    |
| G1600N   | Pipe Size                               |            |             |         |         |    |
|  | G1600N-025                              | 1/4"       | \$ 0.70     | \$ 0.56 | 10      |    |
|  | G1600N-038                              | 3/8"       | 0.90        | 0.72    | 10      |    |
|  | G1600N-050                              | 1/2"       | 0.90        | 0.72    | 10      |    |
|  | G1600N-075                              | 3/4"       | 1.15        | 0.92    | 10      |    |
|  | G1600N-100                              | 1"         | 1.20        | 0.96    | 10      |    |
|  | <b>G6016N NYLON COMPRESSION FITTING</b> |            |             |         |         |    |
| G6016N   | Pipe Size                               |            | Tube O.D.   |         |         |    |
|  | G6016N-04-04                            | 1/4"       | 1/4"        | \$ 1.70 | \$ 1.35 | 10 |
|  | G6016N-04-06                            | 1/4"       | 3/8"        | 2.25    | 1.80    | 10 |
|  | G6016N-06-06                            | 3/8"       | 3/8"        | 2.25    | 1.80    | 10 |
|  | G6016N-08-08                            | 1/2"       | 1/2"        | 5.35    | 4.30    | 10 |
| <b>G6090N NYLON 90° COMPRESSION UNION</b>            |   |            |             |         |         |    |
| G6090N-04-04   | 1/4"                                    | 1/4"       | \$ 5.35     | \$ 4.30 | 10      |    |
| <b>G6096N NYLON 90° COMPRESSION MALE NPT FITTING</b> |   |            |             |         |         |    |
| G6096N   | G6096N-04-04                            | 1/4"       | 1/4"        | \$ 4.10 | \$ 3.30 | 10 |
|  | G6096N-04-06                            | 1/4"       | 3/8"        | 2.80    | 2.25    | 10 |
|  | G6096N-06-06                            | 3/8"       | 3/8"        | 5.70    | 4.60    | 10 |

Nylon