

# QUICK COUPLINGS

C100 couplings are compliant with the ISO-7421-B standard. They also interchange with the following Manufacturer's: Snaptite 72, Hansen HK, Parker 60, Faster HNV, & Areoquip FD45. Larger sleeves on this manual connect and disconnect provide rugged resistance to deformation. Steel sleeves are hardened to provide maximum service life. Machined from solid brass, steel, and 303

## C101... PLATED STEEL COUPLER



Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C101-02	1HF1	1/8"	1/8"	5500 psi
C101-04	2HF2	1/4"	1/4"	5000
C101-06	3HF3	3/8"	3/8"	5000
C101-08	4HF4	1/2"	1/2"	5000
C101-12	6HF6	3/4"	3/4"	4500
C101-16	8HF8	1"	1"	4500
C101-24	12HF12	1-1/2"	1-1/2"	1500

## C101L... PLATED STEEL COUPLER WITH LOCKING SLEEVE

Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C101L-04	2HF2-LS	1/4"	1/4"	5000
C101L-06	3HF3-LS	3/8"	3/8"	5000
C101L-08	4HF4-LS	1/2"	1/2"	5000
C101L-12	6HF6-LS	3/4"	3/4"	4500
C101L-16	8HF8-LS	1"	1"	4500

## C101B... BRASS COUPLER

Part Number	Cross Ref.	Size	Female NPTF	Pressure
C101B-02	1HF1B	1/8"	1/8"	3000 psi
C101B-04	2HF2B	1/4"	1/4"	3750
C101B-06	3HF3B	3/8"	3/8"	3500
C101B-08	4HF4B	1/2"	1/2"	3000
C101B-12	6HF6B	3/4"	3/4"	2250
C101B-16	8HF8B	1"	1"	1500

## C101SS... TYPE 303 STAINLESS STEEL COUPLER

Part Number	Cross Ref.	Size	Female NPTF	Pressure
C101SS-02	1HF1-SS	1/8"	1/8"	3000 psi
C101SS-04	2HF2-SS	1/4"	1/4"	3750
C101SS-06	3HF3-SS	3/8"	3/8"	3500
C101SS-08	4HF4-SS	1/2"	1/2"	3000
C101SS-12	6HF6-SS	3/4"	3/4"	2250
C101SS-16	8HF8-SS	1"	1"	1500

## C108... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C108-04	2HDP	1/4"	Polyurethane
C108-06	3HDP	3/8"	Polyurethane
C108-08	4HDP	1/2"	Polyurethane
C108-12	6HDP	3/4"	Polyurethane
C108-16	8HDP	1"	Polyurethane

stainless steel bar stock. Stainless steel balls, retaining rings, and springs provide maximum service life. Steel and stainless steel units incorporate a Teflon back-up ring to withstand dynamic impulse. A backup o-ring seal is standard in all brass and 1-1/4" size units and above. Buna-N (Nitrile) seals are standard. Steel Plugs are hardened and zinc plated to provide heavy duty performance.

## C102... PLATED STEEL NIPPLE



Part Number	Cross Ref.	Size	Female NPTF	Pressure
C102-02	H1F1	1/8"	1/8"	5500 psi
C102-04	H2F2	1/4"	1/4"	5000
C102-06	H3F3	3/8"	3/8"	5000
C102-08	H4F4	1/2"	1/2"	5000
C102-12	H6F6	3/4"	3/4"	4500
C102-16	H8F8	1"	1"	4500
C102-24	H12F12	1-1/2"	1-1/2"	1500

## C102B... BRASS NIPPLE

Part Number	Cross Ref.	Size	Female NPTF	Pressure
C102B-02	H1F1-B	1/8"	1/8"	3000 psi
C102B-04	H2F2-B	1/4"	1/4"	3750
C102B-06	H3F3-B	3/8"	3/8"	3500
C102B-08	H4F4-B	1/2"	1/2"	3000
C102B-12	H6F6-B	3/4"	3/4"	2250
C102B-16	H8F8-B	1"	1"	1500

## C102SS... TYPE 303 STAINLESS STEEL NIPPLE

Part Number	Cross Ref.	Size	Female NPTF	Pressure
C102SS-02	H1F1-SS	1/8"	1/8"	3000 psi
C102SS-04	H2F2-SS	1/4"	1/4"	3750
C102SS-06	H3F3-SS	3/8"	3/8"	3500
C102SS-08	H4F4-SS	1/2"	1/2"	3000
C102SS-12	H6F6-SS	3/4"	3/4"	2250
C102SS-16	H8F8-SS	1"	1"	1500

## C109... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C109-04	H2DC	1/4"	Polyurethane
C109-06	H3DC	3/8"	Polyurethane
C109-08	H4DC	1/2"	Polyurethane
C109-12	H6DC	3/4"	Polyurethane
C109-16	H8DC	1"	Polyurethane



# QUICK COUPLINGS

These couplers and nipples come equipped with special seals for steam service. The coupler is also provided with a zinc plated steel flanged sleeve for ease of handling with gloved hands.

## C111B... BRASS STEAM COUPLER



Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C111B-06	3PHF3-B	3/8"	3/8"	100 psi

## C112B... BRASS STEAM NIPPLE



Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C112B-06	PH3F3-B	3/8"	3/8"	100 psi

C200 couplings are compliant with the ISO-7421-A standard. They also interchange with the following Series: *Snaptite 61, Hansen IA, Parker 6600, Faster ANV, & Areoquip FD56(5600)*. The manual connect and disconnect are machined from solid steel bar stock. Steel sleeves are hardened to provide maximum service life. Stainless steel balls,

retaining rings, and springs provide maximum service life. All units incorporate a Teflon back-up ring to withstand dynamic impulse. Buna-N (Nitrile) seals are standard. Steel Plugs are hardened and zinc plated to provide heavy duty performance.

## C201... PLATED STEEL COUPLER



Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C201-04-02	2KF1	1/4"	1/8"	5075 psi
C201-04-04	2KF2	1/4"	1/4"	5075
C201-06-06	3KF3	3/8"	3/8"	4350
C201-08-08	4KF4	5/8"	1/2"	4350
C201-12-12	6KF6	3/4"	3/4"	3625
C201-16-16	8KF8	1"	1"	3335

## C202... PLATED STEEL NIPPLE



Part Number	Cross Ref.	Body Size	Female NPTF	Pressure
C202-04-02	K2F1	1/4"	1/8"	5075 psi
C202-04-04	K2F2	1/4"	1/4"	5075
C202-06-06	K3F3	3/8"	3/8"	4350
C202-08-08	K4F4	5/8"	1/2"	4350
C202-12-12	K6F6	3/4"	3/4"	3625
C202-16-16	K8F8	1"	1"	3335

## C208... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C208-04	2KDP	1/4"	Polyurethane
C208-06	3KDP	3/8"	Polyurethane
C208-08	4KDP	1/2"	Polyurethane
C208-12	6KDP	3/4"	Polyurethane
C208-16	8KDP	1"	Polyurethane

## C209... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C209-04	K2DC	1/4"	Polyurethane
C209-06	K3DC	3/8"	Polyurethane
C209-08	K4DC	1/2"	Polyurethane
C209-12	K6DC	3/4"	Polyurethane
C209-16	K8DC	1"	Polyurethane

# QUICK COUPLINGS

C300 couplings are interchangeable with the following Brands: *Parker 3000, Enerpac C604, and Faster PVV*. Machined from solid steel bar stock, and zinc plated. The Urethane seal resists extrusion when subjected to high pressure. The chrome steel ball valve is coined to the valve seat to improve low pressure sealing performance on this 10,000 psi unit.

## C301... PLATED STEEL COUPLER



Part Number	Cross Ref.	Body Size	NPTF Thread	Pressure
C301-04	2TM2	1/4"	1/4"	10000 psi
C301-06	3TM3	3/8"	3/8"	10000

## C308... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C308-04	2TDP	1/4"	Steel
C308-06	3TDP	3/8"	Steel

## C302... PLATED STEEL NIPPLE



Part Number	Cross Ref.	Body Size	NPTF Thread	Pressure
C302-04	T2F2	1/4"	1/4"	10000 psi
C302-06	T3F3	3/8"	3/8"	10000

## C309... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C309-04	T2DC	1/4"	Steel
C309-06	T3DC	3/8"	Steel

C400 couplings are interchangeable with Parker/Pioneer 4000, Aeroquip FD76, and Safeway S20.

Several popular sizes are available with a poppet rather than a ball type valve, for improved sealing. This eliminates unsightly oil drips on disconnected equipment and is indicated by a "P" suffix in the part number.

## C401... AGRICULTURAL INTERCHANGE COUPLER



Part Number	Cross Ref.	Body Size	Female Thread	Pressure
C401-04	S25A-2	1/4"	1/4"	3000 psi
C401P-04	S2A-2P	1/4"	1/4"	3000
C401-06	S25A-3	3/8"	3/8"	3000
C401-08	S25-4	1/2"	1/2"	3000
C401P-08	S25-4P	1/2"	1/2"	3000
C401-12	S25F-6	3/4"	3/4"	3000
C401-16	S25-8P	1"	1"	3000

## C402... AGRICULTURAL INTERCHANGE NIPPLE



Part Number	Cross Ref.	Body Size	Female Thread	Pressure
C402-04	S41-2	1/4"	1/4"	3000 psi
C402P-04	S41-2P	1/4"	1/4"	3000
C402-06	S41-3	3/8"	3/8"	3000
C402-08	S71-4	1/2"	1/2"	3000
C402P-08	S71-4P	1/2"	1/2"	3000
C402-08-12	S71-6	1/2"	3/4"	3000
C402-12	S21F-6	3/4"	3/4"	4000
C402-16	S21-8P	1"	1"	3000

# QUICK COUPLINGS

## C403... O-RING BOSS COUPLER



Part Number	Cross Ref.	Body Size	Female ORB	Pressure
C403-08	S25-15	1/2"	3/4-16	3000 psi
C403-10	S25-16	1/2"	7/8-14	3000

## C405... TWO-WAY SLEEVE COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C405-06	S45-3	3/8"	3/8"	3000 psi
C405-08	S45-4	1/2"	1/2"	3000
C405P-08	S45-4P	1/2"	1/2"	3000
C405-08-12	S45-6	1/2"	3/4"	3000

## C404... O-RING BOSS NIPPLE



Part Number	Cross Ref.	Body Size	Female ORB	Pressure
C404-08	S71-15	1/2"	3/4-16	3000 psi
C404P-08	S71-15P	1/2"	3/4-16	3000
C404-10	S71-16	1/2"	7/8-14	3000
C404P-10	S71-16P	1/2"	7/8-14	3000

## C406... CONNECT UNDER PRESSURE COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C406-08	S75-4	1/2"	1/2"	3000 psi
C406ORB-10	S75-16	1/2"	7/8-14	3000

## C408... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C408-04	S44-2	1/4"	Rubber
C408-06	S44-3	3/8"	Rubber
C408-08	S44-4	1/2"	Rubber
C408-12	S44-6	3/4"	Rubber
C408-16	S44-8	1"	Rubber

## C409... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C409-04	S49-2	1/4"	Rubber
C409-06	S49-3	3/8"	Rubber
C409-08	S49-4	1/2"	Rubber
C409-12	S49-6	3/4"	Rubber
C409-16	S49-8	1"	Rubber

## C400C... BREAK-AWAY CLAMPS



Part Number	Cross Ref.	Body Size	Material
C400C-06	S42-3	3/8"	Steel
C400C-08	S42-4	1/2"	Steel

## C406MR... MOUNTING RING



Part Number	Body Size	Material
C406MR	1/2"	Steel

# QUICK COUPLINGS

Our connect under pressure wing nut style couplings are interchangeable with the following Manufacturers: *Parker 6100, Faster FB, Areoquip 5100, Snaptite 78, and Hansen 96*. Couplers are machined from solid brass and steel bar stock. Stainless steel retaining rings, and

maximize corrosion resistance and extend service life. The internal sleeve seal incorporates a Teflon back-up ring on the valve sleeve to extend service life. This Non Spill coupling provides minimal air inclusion and fluid loss.

## C501... WING NUT COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C501-12-08	6WF4-B	3/4"	1/2"	3000 psi
C501-12	6WF6-B	3/4"	3/4"	3000
C501-16	8WF8-B	1"	1"	3000
C501-20	10WF10-B	1-1/4"	1-1/4"	2750
C501-24	12WF12-B	1-1/2"	1-1/2"	2500

## C502... WING NUT NIPPLE



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C502-12-08	W6F4-B	3/4"	1/2"	3000 psi
C502-12	W6F6-B	3/4"	3/4"	3000
C502-16	W8F8-B	1"	1"	3000
C502-20	W10F10-B	1-1/4"	1-1/4"	2750
C502-24	W12F12-B	1-1/2"	1-1/2"	2500

## C508... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C508-12	6WDP-B	3/4"	Steel
C508-16	8WDP-B	1"	Steel
C508-20	10WDP-B	1-1/4"	Steel
C508-24	12WDP-B	1-1/2"	Steel

## C509... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C509-12	W6DC-B	3/4"	Steel
C509-16	W8DC-B	1"	Steel
C509-20	W10DC-B	1-1/4"	Steel
C509-24	W12DC-B	1-1/2"	Steel

## C501RK... REPAIR KIT FOR COUPLER



Part Number	Cross Ref.	Body Size
C501RK-12	6W-RKIT	3/4"
C501RK-16	8W-RKIT	1"
C501RK-20	10W-RKIT	1-1/4"

## C502RK... REPAIR KIT FOR NIPPLE



Part Number	Cross Ref.	Body Size
C502RK-12	W6-RKIT	3/4"
C502RK-16	W8-RKIT	1"
C502RK-20	W10-RKIT	1-1/4"

# QUICK COUPLINGS

C500H Heavy-Duty Wing Nut couplings are found in oilfield and mining applications where high pressure, shockloads, or external abuse make other couplings unsuitable. These robust couplings are rated to 5000 psi and interchange with Snap-Tite 75 series and

## C501H... HEAVY-DUTY WING NUT COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C501H-12	6WSF6	3/4"	3/4"	5000 psi
C501H-16	8WSF8	1"	1"	5000
C501H-20	10WSF10	1-1/4"	1-1/4"	5000
C501H-24	12WSF12	1-1/2"	1-1/2"	5000
C501H-32	16WSF16	2"	2"	5000

Hydraulics Inc 5TV style. Seals can easily be replaced in the field (even the valve seal). C500H couplings comply with Det Norske Veritas North Sea standards.

## C502H... HEAVY-DUTY NIPPLE



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C502H-12	WS6F6	3/4"	3/4"	5000 psi
C502H-16	WS8F8	1"	1"	5000
C502H-20	WS10F10	1-1/4"	1-1/4"	5000
C502H-24	WS12F12	1-1/2"	1-1/2"	5000
C502H-32	WS16F16	2"	2"	5000

## C508H... DUST PLUG



Part Number	Cross Ref.	Body Size	Material
C508H-12	6WSDP-A	3/4"	Aluminum
C508H-16	8WSDP-A	1"	Aluminum
C508H-20	10WSDP-A	1-1/4"	Aluminum
C508H-24	12WSDP-A	1-1/2"	Aluminum
C508H-32	16WSDP-A	2"	Aluminum

## C509H... DUST CAP



Part Number	Cross Ref.	Body Size	Material
C509H-12	WS6DC-A	3/4"	Aluminum
C509H-16	WS8DC-A	1"	Aluminum
C509H-20	WS10DC-A	1-1/4"	Aluminum
C509H-24	WS12DC-A	1-1/2"	Aluminum
C509H-32	WS16DC-A	2"	Aluminum

C700 Flush-Face Couplings were developed to handle dirty conditions in construction and maintenance applications. The flat faces on both coupler and nipple are easily wiped clean before connection, avoiding difficult connection and fluid contamination. Other features include a built-in sleeve lock (by rotating the sleeve), single handed connection, non-spill design, and excellent flow performance. Flush-Face Couplings are most often seen on hydraulic jackhammers and

## C701... STANDARD FLAT FACE COUPLER



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C701-06-06	3HTF3	3/8"	3/8"	5625 psi
C701-06-08	3HTF4	3/8"	1/2"	5625
C701-08-08	4HTF4	1/2"	1/2"	5750
C701-08-12	4HTF6	1/2"	3/4"	5750
C701-12-12	6HTF6	3/4"	3/4"	5000
C701-12-16	6HTF8	3/4"	1"	5000

emergency rescue equipment, but they are gaining in popularity in a variety of applications. The 3/8" size conforms to HTMA (Hydraulic Tool Manufacturers Association) specifications and interchange with Parker FF and Aeroquip FD49. We stock C700 series for standard pressure applications, and C700H for pressures up to 10,000 psi (see table on next page for pressure ratings by size).

## C702... STANDARD FLAT FACE NIPPLE



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C702-06-06	HT3F3	3/8"	3/8"	5625 psi
C702-06-08	HT3F4	3/8"	1/2"	5625
C702-08-08	HT4F4	1/2"	1/2"	5750
C702-08-12	HT4F6	1/2"	3/4"	5750
C702-12-12	HT6F6	3/4"	3/4"	5000
C702-12-16	HT6F8	3/4"	1"	5000

# QUICK COUPLINGS

## C703... FLAT FACE COUPLER WITH ORB THREAD



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C703-08-10	4HTOF5	1/2"	7/8-14	5750 psi
C703-08-12	4HTOF6	1/2"	1-1/16-12	5750

## C704... FLAT FACE NIPPLE WITH ORB THREAD



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C704-08-10	HT40F5	1/2"	7/8-14	5750 psi
C704-08-12	HT40F6	1/2"	1-1/16-12	5750

## C701H... FLAT FACE HYDRAULIC COUPLER



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C701H-06	FF495-3	3/8"	3/8"	10000 psi
C701H-06-08	FF495-4	3/8"	1/2"	10000
C701H-12	FF495-6	3/4"	3/4"	6000

## C702H... FLAT FACE HYDRAULIC NIPPLE



Part Number	Cross Ref	Body Size	Thread Size	Pressure
C702H-06	FF491-3	3/8"	3/8"	10000 psi
C702H-06-08	FF491-4	3/8"	1/2"	10000
C702H-12	FF491-6	3/4"	3/4"	6000

## C700... DUST CAPS & PLUGS



Part Number	Cross Reference	Body Size	Material
C708H-06	Plug	3/8"	Steel
C709H-06	Cap	3/8"	Steel

# QUICK COUPLINGS

C710 series Flush -Face couplings interchange with Snap-Tite 71 series and comply with Det Norske Veritas North Sea standards for coupling application.

## C711... HEAVY-DUTY FLUSH-FACE COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C711-12	6STF6	3/4"	3/4"	8500 psi
C711-16	8STF8	1"	1"	8500
C711-16-20	8STF10	1"	1-1/4"	8500

## C712... HEAVY-DUTY FLUSH-FACE NIPPLE



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C712-12	ST6F6	3/4"	3/4"	8500 psi
C712-16	ST8F8	1"	1"	8500
C712-16-20	ST8F10	1"	1-1/4"	8500

## C718... DUST PLUG



Part Number	Cross Ref.	Body Size	Thread Size
C718-12	6STDP-A	3/4"	Aluminum
C718-16	8STDP-A	1"	Aluminum

## C719... DUST CAP



Part Number	Cross Ref.	Body Size	Thread Size
C719-12	ST6DC-A	3/4"	Aluminum
C719-16	ST8DC-A	1"	Aluminum

Our C800 design interchanges with the following Series: SnapTite H, and Faster TNV.

This manual connect and disconnect is machined from solid steel bar stock (also available in Brass and 316 stainless steel). Stainless steel balls, retaining rings, and springs maximize corrosion resistance

and extend service life. All units incorporate a Teflon back-up ring to withstand dynamic impluse. Also available in valved and non-valved, NPTF, BSPP, ORB, and larger sized configurations. Buna-N (Nitrile) seals are standard. Steel plugs are induction hardened and zinc plated to provide heavy duty performance.

## C801... HYDRAULIC COUPLER



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C801-04	2VF2	1/4"	1/4"	6500 psi
C801-06	3VF3	3/8"	3/8"	4500
C801-08	4VF4	1/2"	1/2"	4000
C801-12	6VF6	3/4"	3/4"	3500
C801-16	8VF8	1"	1"	2000

## C802... HYDRAULIC NIPPLE



Part Number	Cross Ref.	Body Size	Thread Size	Pressure
C802-04	V2F2	1/4"	1/4"	6500 psi
C802-06	V3F3	3/8"	3/8"	4500
C802-08	V4F4	1/2"	1/2"	4000
C802-12	V6F6	3/4"	3/4"	3500
C802-16	V8F8	1"	1"	2000

# QUICK COUPLINGS INTERCHANGE GUIDE

Pulsar	Perfecting	Aeroquip	Cejn	Faster	Foster	Hansen	Parker	Safeway	Snap-tite
C101-02	1HF1	FD45-1003-02-02	HNW18-FS	H1-S	1-H11	H1-62	H2-61	S105-1	
C101-04	2HF2	FD45-1003-04-04	10-375-1402	HNW14-FS	H2-S	2-H16	H2-62	S105-2	72C-4-4-F
C101-06	3HF3	FD45-1003-06-06	10-475-1404	HNW38-FS	H3-S	3-H21	H3-62	S105-3	72C-6-6-F
C101-08	4HF4	FD45-1003-08-10	10-575-1405	HNW12-FS	H4-S	4-H26	H4-62	S105-4	72C-8-8-F
C101-12	6HF6	FD45-1003-12-12	10-675-1401	HNW34-FS	H6-S	6-H31	H6-62	S105-6	72C-12-12-F
C101-16	8HF8	FD45-1003-16-16	10-775-1403	HNW1-FS	H8-S	8-H36	H8-62	S105-8	72C-16-16-F
C101-24	12HF12			HNW12-FS			H12-62N		
C101B-02	1HF1B	FD45-1101-02-02			H1-B	B1-H11	BH1-60	BS105-1	
C101B-04	2HF2B	FD45-1101-04-04	10-374-1402	HNW14-FB	H2-B	B2-H16	BH2-60	BS105-2	B72C-4-4-F
C101B-06	3HF3B	FD45-1101-06-06	10-474-1404	HNW38-FB	H3-B	B3-H21	BH3-60	BS105-3	B72C-6-6-F
C101B-08	4HF4B	FD45-1101-08-10	10-574-1405	HNW12-FB	H4-B	B4-H26	BH4-60	BS105-4	B72C-8-8-F
C101B-12	6HF6B	FD45-1101-12-12	10-674-1401	HNW34-FB	H6-B	B6-H31	BH6-60	BS105-6	B72C-12-12-F
C101B-16	8HF8B	FD45-1101-16-16	10-774-1403	HNW1-FB	H8-B	B8-H36	BH8-60	BS105-8	B72C-16-16-F
C101SS-02	1HF1-SS	FD45-1076-02-02			H1-S/S	LL 1-H11	SH1-62	SS105-1	
C101SS-04	2HF2-SS	FD45-1076-04-04		HNW14-FS1	H2-S/S	LL 2-H16	SH2-62	SS105-2	SS72C-4-4-F
C101SS-06	3HF3-SS	FD45-1076-06-06		HNW38-FS1	H3-S/S	LL 3-H21	SH3-62	SS105-3	SS72C-6-6-F
C101SS-08	4HF4-SS	FD45-1076-08-10			H4-S/S	LL 4-H26	SH4-62	SS105-4	SS72C-8-8-F
C101SS-12	6HF6-SS	FD45-1076-12-12			H6-S/S	LL 6-H31	SH6-62	SS105-6	SS72C-12-12-F
C101SS-16	8HF8-SS	FD45-1076-16-16			H8-S/S	LL 8-H36	SH8-62	SS105-8	SS72C-16-16-F
C102-02	H1F1	FD45-1002-02-02		HNW18NPTM	K1-S	1-K11	H1-63	S101-1	
C102-04	H2F2	FD45-1002-04-04	10-375-6402	HNW14NPTM	K2-S	2-K16	H2-63	S101-2	72N-4-4-F
C102-06	H3F3	FD45-1002-06-06	10-465-6404	HNW38NPTM	K3-S	3-K21	H3-63	S101-3	72N-6-6-F
C102-08	H4F4	FD45-1002-08-10	10-575-6405	HNW12NPTM	K4-S	4-K26	H4-63	S101-4	72N-8-8-F
C102-12	H6F6	FD45-1002-12-12	10-675-6401	HNW34NPTM	K6-S	6-K31	H6-63	S101-6	72N-12-12-F
C102-16	H8F8	FD45-1002-16-16	10-775-6403	HNW1NPTM	K8-S	8-K36	H8-63	S101-8	72N-16-16-F
C102-24	H12F12			HNW12NPTM			H12-63N		
C102B-02	H1F1-B	FD45-1086-02-02			K1-B	B1-K11	BH1-61	BS101-1	
C102B-04	H2F2-B	FD45-1086-04-04	10-374-6402	HNW14NPTM5	K2-B	B2-K16	BH2-61	BS101-2	B72N-4-4-F
C102B-06	H3F3-B	FD45-1086-06-06	10-474-6404	HNW38NPTM5	K3-B	B3-K21	BH3-61	BS101-3	B72N-6-6-F
C102B-08	H4F4-B	FD45-1086-08-10	10-574-6405	HNW12NPTM5	K4-B	B4-K26	BH4-61	BS101-4	B72N-8-8-F
C102B-12	H6F6-B	FD45-1086-12-12	10-674-6401	HNW34NPTM5	K6-B	B6-K31	BH6-61	BS101-6	B72N-12-12-F
C102B-16	H8F8-B	FD45-1086-16-16	10-774-6403	HNW1NPTM5	K8-B	B8-K36	BH8-61	BS101-8	B72N-16-16-F
C102SS-02	H1F1-SS	FD45-1078-02-02			K1-S/S	LL1-K11	SH1-63	SS101-1	
C102SS-04	H2F2-SS	FD45-1078-04-04		HNW14NPTM1	K2-S/S	LL 2-K16	SH2-63	SS101-2	SS72N-4-4-F
C102SS-06	H3F3-SS	FD45-1078-06-06		HNW38NPTM1	K3-S/S	LL 3-K21	SH3-63	SS101-3	SS72N-6-6-F
C102SS-08	H4F4-SS	FD45-1078-08-10			K4-S/S	LL 4-K26	SH4-63	SS101-4	SS72N-8-8-F
C102SS-12	H6F6-SS	FD45-1078-12-12			K6-S/S	LL 6-K31	SH6-63	SS101-6	SS72N-12-12-F
C102SS-16	H8F8-SS	FD45-1078-16-16			K8-S/S	LL 8-K36	SH8-63	SS101-8	SS72N-16-16-F
C108-04	2HDP	FD45-1041-04		TMH14		TMH14	H2-65M		
C108-06	3HDP	FD45-1041-06		TMH38		TMH38	H3-65M		
C108-08	4HDP	FD45-1041-08		TMH12		TMH12	H4-65M		
C108-12	6HDP	FD45-1041-12		TMH34		TMH34	H6-65M		
C108-16	8HDP	FD45-1041-16				TMH1	H8-65M		
C109-04	H2DC	FD45-1040-04		TFH14		TFH14	H2-66M		
C109-06	H3DC	FD45-1040-06		TFH38		TFH38	H3-66M		
C109-08	H4DC	FD45-1040-08		TFH12		TFH12	H4-66M		
C109-12	H6DC	FD45-1040-12		TFH34		TFH34	H6-66M		
C109-16	H8DC	FD45-1040-16				TFH1	H8-66M		
C111B-06	3PHF3-B					B3-HD21-Y	H3-68		
C112B-06	PH3F3-B					B3-K21-192	H3-69		
C201-04-02	2KF1	5601-2-4S					6601-2-4		
C201-04-04	2KF2	5601-4-4S	10-395-1402	ANV14NPTF			6601-4-4	S565-2	61C4-4F
C201-06-06	3KF3	5601-6-6S	10-495-1404	ANV38NPTF			6601-6-6	S565-3	61C6-6F
C201-08-08	4KF4	5601-8-10S		ANV12NPTF			6601-8-10	S565-4	61C8-8F
C201-12-12	6KF6	5601-12-12S	10-695-1401	ANV34NPTF			6601-12-12	S565-6	61C12-12F
C201-16-16	8KF8	5601-16-16S	10-795-1403	ANV1NPTF			6601-16-16	S565-8	61C16-16F
C202-04-02	K2F1	5602-2-4S	6602-2-4	ANV12NPTM					
C202-04-04	K2F2	5602-4-4S	10-395-6402	ANV14NPTM			6602-4-4	S561-2	61N4-4F
C202-06-06	K3F3	5602-6-6S	10-495-6404	ANV38NPTM			6602-6-6	S561-3	61N6-6F
C202-08-08	K4F4	5602-8-10S		ANV12NPTM			6602-8-10	S561-4	61N8-8F
C202-12-12	K6F6	5602-12-12S	10-695-6401	ANV34NPTM			6602-12-12	S561-6	61B12-12F
C202-16-16	K8F8	5602-16-16S	10-795-6403	ANV1NPTM			6602-16-16	S561-8	61N16-16F
C208-04	2KDP					TMA14	6659-4		
C208-06	3KDP					TMA38	6659-6		
C208-08	4KDP					TM12	6659-10		
C208-12	6KDP					TMA34	6659-12		
C208-16	8KDP					TMA1	6659-1		
C209-04	K2DC					TFA14	6657-4		
C209-06	K3DC					TFA38	6657-6		
C209-08	K4DC					TF12	6657-10		
C209-12	K6DC					TFA34	6657-12		
C209-16	K8DC					TFA1	6657-16		
C301-04	2TM2		10-230-1452	PVVM1/14NPTF			3050-2	S35-2	76C4-4M
C301-06	3TM3			PVVM1/38NPTF			3050-3	S35-3	76C6-6M
C302-04	T2F2			PVVM14NPTM			3010-2	S31-2	76N4-4F
C302-06	T3F3			PVVM38NPTM			3010-3	S31-3	76N6-6F
C308-04	2TDP			TMP14S			3005-2	S34-2	76MDP-4
C308-06	3TDP			TMP38S			3005-3	S34-3	76MDP-6
C309-04	T2DC			TFP14S			3009-2	S39-2	76MDC-4
C309-06	T3DC			TFP38S			3009-3	S39-3	76MDC-6
C401-04		FD42-1001-04-04		NS14NPTF			4050-2	S25A-2	21C-4-4F
C401-08				NS12NPTF			4050-4	S25-4	61C-8-8-F
C401-12				NSP34NPTF			4150-5	S25F-6	
C401-16				NS1NPTF			4050-6P	S25-8P	

Quick Couplings



# QUICK COUPLINGS INTERCHANGE GUIDE

Pulsar	Perfecting	Aeroquip	Cejn	Faster	Foster	Hansen	Parker	Safeway	Snap-tite
C402-04		FD42-1002-04-04		NS14NPTM			4010-2	S41-2	21N4-4F
C402-06				NS38NPTM			4010-3	S41-3	21N6-6F
C402-08		5602-8-10S		2NS12NPTM			8010-4	S71-4	61N8-8F
C402-08-12		5602-12-10S		MSP34NPTM			8010-5	S71-6	
C402-12				NSP34NPTM			4110-5	S21F-6	
C402-16				NS1NPTM			4010-6P	S21-8P	
C402P-08		5602-8-10S					8010-4P	S71-4P	
C403-08							4050-15	S25-15	
C403-10							4050-16	S25-16	
C404-08							8010-15	S71-15	
C404-10							8010-16	S71-16	
C405-06				NS38NPTF			4050-3	S45-3	21C6-6F
C405-08-12		5601-12-10S		MS34NPTF			4050-5	S45-6	
C408-04				TM14			5205-2M	S44-2	
C408-06				TM38			5205-3	S44-3	
C408-08				TM12			5205-4M	S44-4	
C408-12				TM34		TM34	5205-5	5205-5	
C408-16				TM1		TM1	5205-6	5205-6	
C409-04				TF14			5209-2M	S49-2	
C409-06				TF38			5209-3	S49-3	
C409-08				TF12			5209-4M	S49-4	
C409-12				TF34		TF34	5209-5	5209-5	
C409-16				TF1		TF1	5209-6	5209-6	
C501-12	6WF6-B	5100-S5-12		FB12/34NPTF			6125-12	S515W-6	78C12-12F
C501-16	8WF8-B	5100-S5-16		FB16/1NPTF			6125-16	S515W-8	78C16-16F
C501-20	10WF10-B	5100-S5-20		FB20/114NPTF			6125-20	S515W-10	78C20-20F
C501-24	12WF12-B	5100S5-24		FB24/112NPTF			6125-24		78C24-24F
C501H-12	6WSF6								75C12-12F
C501H-16	8WSF8								75C16-16F
C501H-20	10WSF10								75C20-20F
C501H-24	12WSF12								75C24-24F
C501H-32	16WSF16								75C32-32F
C502-12	W6F6-B	5100-S2-12		FB12/34NPTM			6105-12	S511-6	78N12-12F
C502-16	W8F8-B	5100-S2-16		FB16/1NPTM			6105-16	S511-8	78N16-16F
C502-20	W10F10-B	5100-S2-20		FB20/114NPTM			6105-20	S511-10	78N20-20F
C502-24	W12F12-B	5100-S2-24		FB24/112NPTM			6105-24		78N24-24F
C502H-12	WS6F6								75N12-12F
C502H-16	WS8F8								75N16-16F
C502H-20	WS10F10								75N20-20F
C502H-24	WS12F12								75N24-24F
C502H-32	WS16F16								75N32-32F
C508-12	6WDP-B			TMFB12S			6109-12		
C508-16	8WDP-B			TMFB16S			6109-16		
C508-20	10WDP-B			TMFB20S			6109-20		
C508-24	12WDP-B			TMFB24S			6109-24		
C508H-12	6WSDP-A								
C508H-16	8WSDP-A								
C508H-20	10WSDP-A								
C508H-24	12WSDP-A								
C508H-32	16WSDP-A								
C509-12	W6DC-B			TFFB12S			6108-12		
C509-16	W8DC-B			TFFB16S			6108-16		
C509-20	W10DC-B			TFFB20S			6108-20		
C509-24	W12DC-B			TFFB24S			6108-24		
C509H-12	SW6DC-A								
C509H-16	SW8DC-A								
C509H-20	SW10DC-A								
C509H-24	SW12DC-A								
C509H-32	SW16DC-A								
C701-06-06	3HTF3	FD89-1001-06-06		FF38-NPT-F			FF-371-6FP	FF495-3	74C6-6F
C701-06-08	3HTF4	FD89-1001-08-06		FF3812-NPT-M			FF-371-8FP		
C701-08-08	4HTF4	FD89-1001-08-08		FF38-12NPT-F				FF495-4	74C8-8F
C701-12-12	6HTF6	FD89-1001-12-12					FF-751-12FP	FF495-6	74C12-12F
C702-06-06	HT3F3	FD89-1002-06-06		FF38-NPT-F			FF-371-6FP	FF491-3	74N6-6F
C702-08-08	HT4F4	FD89-1002-08-06		FF38-12NPT-M			FF-372-8FP	FF491-4	74N8-8F
C702-12-12	HT6F6	FD89-1002-12-12					FF-752-12FP	FF491-6	74N12-12F
C711-12	6STF6								71-3C-12-12F
C711-16	8STF8								71-3C-16-16F
C711-16-20	8SFT10								71-3C-16-20F
C712-12	ST6F6								71-3N-12-12F
C712-16	ST8F8								71-3N-16-16F
C712-16-20	ST8F10								71-3N-16-20F
C718-12	6STDPA								
C718-16	8STDPA								
C719-12	ST6DC-A								
C719-16	ST8DC-A								
C801-04	2VF2			TNV04-NPT-F					VHC-4-4F
C801-06	3VF3			TNV06-NPT-F					VHC-6-6F
C801-08	4VF4			TNV08-NPT-F					VHC-8-8F
C801-12	6VF6			TNV12-NPT-F					VHC-12-12F
C801-16	8VF8			TNV16-NPT-F					VHC-16-16F
C802-04	V2F2			TNV04-NPT-M					VHN-4-4F
C802-06	V3F3			TNV06-NPT-M					VHN-6-6F
C802-08	V4F4			TNV08-NPT-M					VHN-8-8F
C802-12	V6F6			TNV12-NPT-M					VHN-12-12F
C802-16	V8F8			TNV16-NPT-M					VHN-16-16F

